L Number	Hits	Search Text	DB	Time stamp
-	9931	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or	USPAT; US-PGPUB;	2003/11/11 15:06
		frame or screen or banner or advertisement or ads)).ab. and (@ad<20010426)	IBM_TDB	
-	73	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) and ((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:50
-	4	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) and ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:51
-	493	((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:52
	276	((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads)) and ((rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:55
-	143	show\$3)) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426) (internet or web or html or display\$3).ab. and ((automatic\$5 or dynamic\$5) with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads)) and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
	458	display\$3).ab. and (automatic\$5 with (captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or box or frame or screen or banner or advertisement or ads or browser or web)) and (@ad<20010426) and (707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:58
-	238	or 345/\$.ccls.) (snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))).ab. and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:59
-	19	<pre>((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) with (screen or frame or web or browser or advertisement</pre>	USPAT; US-PGPUB; IBM_TDB	2003/05/15 12:59
				17:23

_	36	(shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
	387	or ads)).ab. and (@ad<20010426) (((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:00
-	114		USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:01
	573	,	USPAT; US-PGPUB; IBM_TDB	2003/05/15
_	25	((((snapshoot\$3 or snapshot\$3 or (snap adj (shoot\$3 or shot\$3))) and (screen or frame or web or browser or advertisement or ads)) same (sav\$3 or store or storing)) and (@ad<20010426)) and (internet or web or html or display\$3).ab. and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or reshow\$3 or (re adj (wind\$3 or play\$3 or display\$3 or show\$3))) with (browser or html or xml or page or web or message or frame or screen or banner or advertisement or ads))	USPAT; US-PGPUB; IBM_TDB	2003/05/15 13:04
-	1		USPAT; US-PGPUB; IBM_TDB	2003/05/17 00:41
-	1	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or frame or screen or banner or advertisement or ads)).ab. and (@ad<20010426) and (autosav\$3 or (autoadj sav\$3))	USPAT; US-PGPUB; IBM_TDB	2003/05/16 14:56
-	27		USPAT; US-PGPUB; IBM_TDB	2003/05/16 17:06
-	359		USPAT; US-PGPUB; IBM_TDB	2003/05/16 17:11

-	1132	((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (time or rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:21
_	82	(((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 707/\$.ccls. or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (time or rate or frequenc\$3)) and (@ad<20010426) and	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:15
_	96	(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) (powerpoint with presentation) and	USPAT;	2003/05/16
		(@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	US-PGPUB; IBM_TDB	19:04
-	34	((powerpoint with presentation) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and rate	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:26
-	1	(((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)) and (powerpoint with presentation)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:22
_	12	1 •	USPAT; US-PGPUB; IBM_TDB	2003/05/16 15:58
	83	((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (user or client) with (configura\$5 or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 17:51
_	21		USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:33
-	2		USPAT; US-PGPUB; IBM TDB	2003/05/16 18:20

-	240	picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and	USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04
_	6	(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16
		with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or	US-PGPUB; IBM_TDB	18:36
_	111	715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 18:53
-	23		USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:06
-	3	((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval) with rate) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:04
-	58	((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:44
	1159	and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/16
_	2	with determin\$3 with (change or modification)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:34
	11	((captur\$3 or sav\$3 or store or storing or record\$3) with (different or modified or changed) with (file or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426)	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:11
		and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (DOM or (document adj		
1 .	1	object adj model))	L	

				7
-	254	((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
		or record\$3) with ((different or modified	US-PGPUB;	22:07
		or changed) near2 (file or message or	IBM_TDB	
		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab.		
-	1	(((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
	}	or record\$3) with ((different or modified	US-PGPUB;	21:25
		or changed) near2 (file or message or	IBM_TDB	
		frame or screen or banner or		
		advertisement or ads))) and		1
		(@ad<20010426) and 707/\$.ccls. and	·	
		(captur\$3 or sav\$3 or store or storing or		
1		record\$3).ab.) and (DOM or (document adj		
		object adj model))		
-	27	((DOM or (document adj object adj model))	USPAT;	2003/05/16
]		with (change or modification or	US-PGPUB;	21:42
ł		trigger\$3)) and (document adj object adj	IBM_TDB	
	,	model) and (@ad<20010426)		0000 (05 (1) 6
-	96	((captur\$3 or sav\$3 or store or storing	USPAT;	2003/05/16
	ļ	or record\$3) with ((different or modified	US-PGPUB;	22:12
]	or changed) near2 (file or message or	IBM_TDB	
,		frame or screen or banner or		
		advertisement or ads))) and		
		(@ad<20010426) and 707/\$.ccls. and		
•		(captur\$3 or sav\$3 or store or storing or		
		record\$3).ab. and (determin\$3 with		
		(modified or chang\$3 or modification))	TIGDAM.	.2002/11/12
j -	7	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT;	2003/11/13
		or 5745360.pn. or 5761683.pn. or	US-PGPUB;	20:43
]	6018748.pn. or 6021435.pn.	IBM_TDB USPAT;	2003/11/11
-	316	((display\$3 or output\$3 or show\$3 or	US-PGPUB;	15:08
		render\$3) with (in adj succession)) and	IBM TDB	15.08
	0.1	(@ad<20010426)	USPAT;	2003/11/11
-	81	((stor\$3 or sav\$3 or sort\$3) with chronologic\$7) and ((display\$3 or	US-PGPUB;	15:13
		output\$3 or show\$3 or render\$3) with ((in	IBM TDB	13.13
	1	adj succession) or (one near2 one) or	1511_155	
		continous\$5)) and (@ad<20010426)		
	176	((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
-	1/6	chronologic\$7) and (captur\$3 with (file\$2	US-PGPUB;	16:18
		or object\$2 or data\$2 or record\$2 or	IBM TDB	10,10
	Į.	image\$2 or picture\$2 or vedio\$2 or		
-		multimedia)) and (@ad<20010426)		
_	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
1		chronologic\$7) same (easy or fast)) and	US-PGPUB;	18:21
		(captur\$3 with (file\$2 or object\$2 or	IBM TDB	
		data\$2 or record\$2 or image\$2 or		
		picture\$2 or vedio\$2 or multimedia)) and	1	
·		(@ad<20010426)	1	
-	321	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
	1.	play\$3 or render\$3) with ((in adj	US-PGPUB;	17:26
	1	succession) or ((one near2 one) with	IBM TDB	
		continous\$5))) and (@ad<20010426)	_	
-	19	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/11/11
	1	play\$3 or render\$3) with (music or	US-PGPUB;	17:30
		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)	-	
	1	with continous\$5))) and (@ad<20010426)		
-	486	((display\$3 or output\$3 or show\$3 or	USPAT;	2003/11/11
		play\$3 or render\$3) with (music or	US-PGPUB;	17:31
1		multimedia\$3 or image\$2 or file\$2) with	IBM_TDB	
		((in adj succession) or ((one near2 one)		1
		with continous\$5) or forward)) and		[
		(captur\$3 with (file\$2 or object\$2 or		
		data\$2 or record\$2 or image\$2 or		
		picture\$2 or vedio\$2 or multimedia)) and		
i	1	(@ad<20010426)		

-	1	(((stor\$3 or sav\$3 or sort\$3) with	USPAT;	2003/11/11
		chronologic\$7) same (easy or fast)) and	US-PGPUB;	21:39
		(captur\$3 with (file\$2 or object\$2 or	IBM_TDB	
		data\$2 or record\$2 or image\$2 or		
	;	<pre>picture\$2 or vedio\$2 or multimedia)) and</pre>		
·	·	(@ad<20010426) and ((stor\$3 or sav\$3 or		
		sort\$3) with order)		
-	7	5572643.pn. or 5708825.pn. or 5737619.pn.	USPAT;	2003/11/12
		or 5745360.pn. or 5761683.pn. or	US-PGPUB;	13:07
		6018748.pn. or 6021435.pn.	IBM TDB	1
_	191	(document adj object adj model) and	USPAT;	2003/11/12
		(@ad<20010426)	US-PGPUB;	13:11
			IBM TDB	
_	0	((document adj object adj model) with	USPĀT;	2003/11/12
		(detect\$3 or identif\$5 or determin\$3 or	US-PGPUB;	13:11
		find\$3) with (change or modif\$9)) and	IBM TDB	
		(@ad<20010426)	_	1
-	268	((display\$3 or output\$5 or view\$3 or	USPAT;	2003/11/13
		review\$3 or replay\$3 or play\$3 or	US-PGPUB;	21:44
		rewind\$3) with (user or client) with	IBM TDB	
		(predetermin\$3 or set\$4 or configura\$7)	_	
		with (rate or speed)) and ((captur\$3 or		
		record\$3 or track\$3 or trap\$5) with		
		(screen\$7 or image\$2 or banner\$2 or		
		advertisement\$2 or ads or web\$5)) and		
		(@ad<20010426)	_	